








UNIT PRICE LIST





MUTOH'S SPITFIRE 65/90 EXTREME INKJET PRINTER SERIES



LIST PRICE EUROPE, EX WORKS OOSTENDE, IN EURO









Effective as from April 15th until June 30th, 2010.



| | Part N° | Description | List Price in EURO |
|---|---------------------------|---|--------------------------------------|
| UNITS – MODELS | | | |
| Spitfire 65 Extreme Printer | | | |
|  | SPE3065-TW30 | <ul style="list-style-type: none"> • Universal unit – 65" • Maximum Media Width: 1651 mm (65.07") • Maximum Printing Width: 1641 mm (64.68") • 4 heads / 8 ink channels • Standard Tension Winder 30 system for media rolls up to 30 kg (not pre-mounted) | 22790 17990 (*) |
|  | SPE3065-HW100 | <ul style="list-style-type: none"> • Universal unit – 65" • Maximum Media Width: 1651 mm (65.07") • Maximum Printing Width: 1641 mm (64.68") • 4 heads / 8 ink channels • Standard Unwinder/Winder 100 system with tensioning for media rolls up to 100 kg (not pre-mounted) | 24990 21990 (*) |
| Spitfire 90 Extreme Printer | | | |
|  | SP3090 | <ul style="list-style-type: none"> • Universal unit – 90" • Maximum Media Width: 2280 mm (89.76") • Maximum Printing Width: 2240 mm (88.18") • 4 heads / 8 ink channels • Standard Unwinder/Winder 100 system with tensioning for media rolls up to 100 kg (not pre-mounted) | 33495 26990 (*) |
| (*) Special offer as from April 15th until June 30th, 2010. | | | |
| STANDARD CONFIGURATION | | | |
| Warranty conditions when using Mutoh Mild Solvent or Mild Solvent Plus ink: | | | |
| <ul style="list-style-type: none"> • Unit: 1 year / Heads: 6 months. • Condition: use of MUTOH original ink. | | | |
|  | What's in the box? | | Included in unit price |
| <ul style="list-style-type: none"> • Printer Unit • Unwinder / Winder 100 system (not pre-mounted) (SPE3065-HW100 and SP3090 only) • Tension Winder 30 system (not pre-mounted) (SPE3065-TW30 only) • Installation kit (footswitch, power cables, screwset) • Media retainer set • Network card (pre-mounted) | | | |


| | Part N° | Description | List Price in €URO |
|--|---------------|---|---------------------------|
| SPITFIRE EXTREME MACHINE STARTER SET | | | |
|  | M2x4HS | 2x4 Spitfire Mild Solvent Plus ink starter set <ul style="list-style-type: none"> Incl. 2 x 4 CMYK 440 ml Mild Solvent Plus ink cassettes (with smart chip) Incl. 8 x 220 ml cassette filled with Setup cleaning liquid (first wash). Incl. 8 x 220 ml cassette filled with Mild Solvent cleaning liquid (second wash). User's Guide User & Good Shape Kit 6 months Commercial Kit Label Starter kit Maintenance Board Book Instruction Sheet i² CD MSDS sheets | Included in unit price(*) |
|  | M2x4MS | 2x4 Spitfire Mild Solvent ink starter set <ul style="list-style-type: none"> Incl. 2 x 4 CMYK 440 ml Mild Solvent ink cassettes (with smart chip) Incl. 8 x 220 ml cassette filled with Setup cleaning liquid (first wash). Incl. 8 x 220 ml cassette filled with Mild Solvent cleaning liquid (second wash). User's Guide User & Good Shape Kit - 6 months Commercial Kit Label Starter kit Maintenance Board Book Instruction Sheet i² CD MSDS sheets | Included in unit price(*) |
| (*) Only one machine starter set is included. The machine starter set comes in a separate box. | | | |
| OPTIONS | | | |
| Software | | | |
| For Mutoh edition software, please refer to the separate "Mutoh edition software price list". | | | |
| Optional Unwinder / Winder 100 System for Spitfire 65" Extreme | | | |
|  | ZMY-81510 | ✓ Unwinder / Winder 100 – Unwinder / Winder 100 System with Tensioning for Spitfire 65" Extreme ✓ Motorised unwinding & winding ✓ Maximum load = 100 kg ✓ Compatible with 2" & 3" media core rolls | 4990 |

| | Part N° | Description | List Price in €URO |
|---|--------------|--|--------------------|
| OPTIONS CONT'D | | | |
| APS Quatro Mini 3-Stage Air Purification System (APS) | | | |
|  | FILTER04B | <ul style="list-style-type: none"> APS Quatro Mini 3-Stage Air Purification System (APS): <ul style="list-style-type: none"> - 1st stage graduated density disposable pleated pre-filter. - 2nd stage chemical filter. - 3rd stage disposable multi layer filter pad. Plenum attachment for simplified installation & rear exhaust. High static suction capabilities to extract and remove gases. Specifically designed to filter the solvents used in Mutoh Mild Solvent (Plus) inks. Filtering capacity: 0 – 176 m³/h Incorporated brushless motor Warranty: 12 months from date of shipment. Filters are not subject to warranty and need to be replaced when saturated. No warranty on external damages Note: A hose set with exhaust connectors is included. The set is compatible with both 65" as well as 90" units. <p>IMPORTANT NOTE: Each APS Quatro Mini System includes standard a European power cable. When installing the APS Quatro Mini System in the UK, you can <u>separately order free of charge</u> a UK power cable (MK-81252).</p> | 2395 |
| Consumables for APS Quatro Mini (FILTER04 & FILTER04B) | | | |
|  | AF4-BOX-CARB | <ul style="list-style-type: none"> Cardboard Replacement canister: Refill of Activated carbon pellets. Replacement: It is essential that the active carbon in the chemical filters is replaced approximately once every 12 months <u>OR</u> immediately after any detection of odour on the discharge of the system. | 172/pc |
| Consumables for APS Quatro Mini (FILTER04 only) | | | |
|  | AF4-FILTER | <ul style="list-style-type: none"> Set of 4 carbon motor brushes Should be replaced every 500 hours 2 brushes required for each replacement <p>(INFO: 500 hours = 3 à 4 months (when working 8h/day, 5 days/week, 44 weeks/year))</p> | 45 |
| Tube connection set for existing air purification / exhaust systems | | | |
|  | KY-08050 | <ul style="list-style-type: none"> To connect an existing air purification / exhaust system to a Spitfire 65/90/100 printer. | 120 |

| | Part N° | Description | List Price in €URO |
|--|-----------|---|--------------------|
| OPTIONAL BULK INK SYSTEM (BIS) | | | |
|  | ZMY-08704 | <ul style="list-style-type: none"> ✓ Bulk Ink System 8 pumps – 4 bottles ✓ 4 colour ink supply ✓ For Spitfire 65/90 (Extreme) and Blizzard printers set up in 2 x 4 configuration (one bottle per colour) ✓ Max. ink capacity per bottle: 4.3 l ✓ In-the-box: Bulk ink system + bottles; permanent ink cartridges; ink tubing; connection cables; cartridge connection unit; user documentation; stand alone PC tool for installation, configuration, operation & monitoring | 3795 |
|  | ZMY-08708 | <ul style="list-style-type: none"> ✓ Bulk Ink System 8 pumps – 8 bottles ✓ 6 colour ink supply ✓ For Spitfire 65/90 (Extreme) printers set up in 6 + 2 configuration ✓ Max. ink capacity per bottle: 4.3 l ✓ In-the-box: Bulk ink system + bottles; permanent ink cartridges; ink tubing; connection cables; cartridge connection unit; user documentation; stand alone PC tool for installation, configuration, operation & monitoring | 4245 |


| | Part N° | Description | List Price in €URO |
|---|----------------|--|--------------------|
| INK & CLEANING LIQUID | | | |
| 440 ml Mild Solvent Ink Cassettes (with Smart Chip) | | | |
|  | RJ80MS-44-BK | Black Mild Solvent Ink Cassette 440 ml | 79 |
| | RJ80MS-44-CY | Cyan Mild Solvent Ink Cassette 440 ml | 79 |
| | RJ80MS-44-MA | Magenta Mild Solvent Ink Cassette 440 ml | 79 |
| | RJ80MS-44-YE | Yellow Mild Solvent Ink Cassette 440 ml | 79 |
| Mild Solvent Ink in 1 Litre Bottles (BIS System) | | | |
|  | RJ80MS-100-BK | Mild Solvent Black Ink – 1 l bottle | 115 |
| | RJ80MS-100-CY | Mild Solvent Cyan Ink – 1 l bottle | 115 |
| | RJ80MS-100-MA | Mild Solvent Magenta Ink – 1 l bottle | 115 |
| | RJ80MS-100-YE | Mild Solvent Yellow Ink – 1 l bottle | 115 |
| Mild Solvent Ink in 5 Litre Bottles (BIS System) | | | |
|  | RJ80MS-500-BK | Mild Solvent Black Ink – 5 l bottle | 510 |
| | RJ80MS-500-CY | Mild Solvent Cyan Ink – 5 l bottle | 510 |
| | RJ80MS-500-MA | Mild Solvent Magenta Ink – 5 l bottle | 510 |
| | RJ80MS-500-YE | Mild Solvent Yellow Ink – 5 l bottle | 510 |
| 440 ml Mild Solvent Plus Ink Cassettes (with Smart Chip) | | | |
|  | RJ80HS-44-BK | Black Mild Solvent Plus Ink Cassette 440 ml | 79 |
| | RJ80HS-44-CY | Cyan Mild Solvent Plus Ink Cassette 440 ml | 79 |
| | RJ80HS-44-MA | Magenta Mild Solvent Plus Ink Cassette 440 ml | 79 |
| | RJ80HS-44-YE | Yellow Mild Solvent Plus Ink Cassette 440 ml | 79 |
| Mild Solvent Plus Ink in 1 Litre Bottles (BIS system) | | | |
|  | RJ80HS-100-BK | Black Mild Solvent Plus Ink – 1 Litre Bottle | 115 |
| | RJ80HS-100-CY | Cyan Mild Solvent Plus Ink – 1 Litre Bottle | 115 |
| | RJ80HS-100-MA | Magenta Mild Solvent Plus Ink – 1 Litre Bottle | 115 |
| | RJ80HS-100-YE | Yellow Mild Solvent Plus Ink – 1 Litre Bottle | 115 |
| 220 ml Mild Solvent Cleaning Liquid Cassette (with Smart Chip) for Mild Solvent & Mild Solvent Plus Inks | | | |
|  | RJ80MS-22-CLN | 220 ml cassette filled with cleaning liquid for Mild Solvent & Mild Solvent Plus Inks. Required for: <ul style="list-style-type: none"> Ink configuration change (2 x 4 -> 6+2 or vice versa) Long save purposes. (8 pcs. needed simultaneously to perform the operation) | 59 |
| Mild Solvent Cleaning Liquid in 1 Litre Bottles (BIS System) for Mild Solvent & Mild Solvent Plus Inks | | | |
|  | RJ80MS-100-CLN | Mild Solvent cleaning liquid – 1 l bottle (**) (**) Including 1 smart chip with one liter capacity. | 28 |
| Mild Solvent Cleaning Liquid in 5 Litre Bottles (BIS System) for Mild Solvent & Mild Solvent Plus Inks | | | |
|  | RJ80MS-500-CLN | Mild Solvent cleaning liquid – 5 l bottle (*) (*) Including 5 smart chips with one liter capacity. | 132 |
| 220 ml Mild Solvent Stabilizer Liquid Cassette for Spitfire Series (with Smart Chip) | | | |
|  | RJ80MS-22-STO | 220 ml cassette filled with stabilizer liquid for Mild Solvent Inks. Required for: Spitfire 65/90 (Extreme) set up in 6 + 2 ink configuration. 2 x RJ80MS-22-STO needed to stabilise the ink channels that are not used for printing. | 59 |

| | Part N° | Description | List Price in €URO |
|---|---------------|---|-----------------------|
| INK & CLEANING LIQUID CONT'D | | | |
| Optional Spitfire Extreme Machine Starter Set | | | |
|  | M2x4HS | 2x4 Spitfire Mild Solvent Plus ink starter set <ul style="list-style-type: none"> • Incl. 2 x 4 CMYK 440 ml Mild Solvent Plus ink cassettes (with smart chip) • Incl. 8 x 220 ml cassette filled with Setup cleaning liquid (first wash). • Incl. 8 x 220 ml cassette filled with Mild Solvent cleaning liquid (second wash). User's Guide, User & Good Shape Kit - 6 months, Commercial Kit , Label Starter kit, Maintenance Board Book, Instruction Sheet i ² & CD MSDS sheets | 1619 |
|  | M2x4MS | 2x4 Spitfire Mild Solvent ink starter set <ul style="list-style-type: none"> • Incl. 2 x 4 CMYK 440 ml Mild Solvent ink cassettes (with smart chip) • Incl. 8 x 220 ml cassette filled with Setup cleaning liquid (first wash). • Incl. 8 x 220 ml cassette filled with Mild Solvent cleaning liquid (second wash). User's Guide, User & Good Shape Kit - 6 months, Commercial Kit , Label Starter kit, Maintenance Board Book, Instruction Sheet i ² & CD MSDS sheets | 1619 |
| MUTOH MEDIA | | | |
| For Mutoh media, please refer to the separate "Mutoh media price list". | | | |

| | Part N° | Description | List Price in €URO |
|--|----------|---|-----------------------|
| SPARE PARTS | | | |
| Print Head | | | |
|  | MY-44743 | Spitfire series 360 nozzle print head (2 nozzle rows of 180 nozzles each). 4 pcs. needed for SPE3065-TW30, SPE3065-HW100 & SP3090. Head replacement should be done by a Mutoh trained & certified service engineer. | 1045 / pc |
| Supplies | | | |
| For supplies such as gloves, pipets, swabs, polyknit wipers, absorbent, wipers, cleaning liquid 250 cc, please refer to the Spitfire Extreme spare parts price list. | | | |

For all sales & deliveries effected, Mutoh Europe's General Terms and Conditions of Sale and Delivery are applicable.
All Prices excl. V.A.T. – Prices & specifications subject to change without notice
Spitfire_65_90_extreme_leur.doc - 6/04/10

MUTOH

| | | |
|--|-------------------|--|
|  <p>WWW.DIGITALDRUCK® PARTNER.DE</p> <p>VERBRAUCHSMATERIAL HARDWARE & RIP-SOFTWARE SERVICE</p> | (069) 9 77 75-441 | <p>Farben-frikell</p> <p><i>fodig</i></p> |
| | (0531) 25 65 1-0 | |
| | (030) 64 19 13-0 | |
| | (08771) 40 88-0 | |
| | (0201) 43 87 49-0 | |
| | (0351) 27 28 6-0 | |